

FIGURE 1






FIGURE 2



3/24




FIGURE 3






FIGURE 4



5/24




FIGURE 5



6/24




FIGURE 6



7/24

dn: cn=managerrole, dc=dom, dc=ain  
objectclass: top  
objectclass: LDAPsubentry  
objectclass: nsRole  
objectclass: nsSimpleRole  
objectclass: nsManagedRole  
cn: managerrole  
description: Manager Role within the Company

FIGURE 7



8/24

dn: uid=pointyhair, ou=people, dc=dom, dc=ain  
objectclass: top

objectclass: person

objectclass: inetorgperson

uid: pointyhair

gn: pointy

sn: hair

nsRoleDN: cn=managerrole, dc=dom, dc=ain

description: Pointy Haired Manager

FIGURE 8





9/24

dn: cn=building12people, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole


objectclass: nsFilteredRole

cn: building12people

nsRoleFilter: building=12

description: People who work in building 12

FIGURE 9



10/24

**dn: cn=megamanagerrole, dc=dom, dc=ain**

**objectclass: top**

**objectclass: LDAPsubentry**

**objectclass: nsRole**

**objectclass: nsComplexRole**

**objectclass: nsNestedRole**

**cn: megamanagerrole**

**nsRoleDN: cn=managerrole, dc=dom, dc=ain**

**nsRoleDN: cn=networkmanager, dc=dom, dc=ain**

**description: Super Manager Role within the Company**

**FIGURE 10**



11/24

dn: cn=peonrole, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole

objectclass: nsEnumeratedRole

objectclass: groupofuniquenames

cn: peonrole

groupmember: uid=dboreham, ou=people, dc=dom, dc=ain

groupmember: uid=merrells, ou=people, dc=dom, dc=ain

groupmember: uid=claire, ou=people, dc=dom, dc=ain

description: Lowest of the Low Roles within the Company

FIGURE 11



12/24




FIGURE 12



13/24




FIGURE 13






FIGURE 14







FIGURE 15





**FIGURE 16**





17/24




FIGURE 17



18/24

DN: cn= messaging\_server\_cos, ou= people, o=acme  
objectclass: top  
objectclass: LDAPSubentry  
objectclass: cosSuperDefinition  
objectclass: cosClassicDefinition  
cosTemplate

DN: cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot  
cosSpecifier: mailServiceClass  
cosAttribute: mailboxquota  
cosAttribute: maysendexternalmail

FIGURE 18



19/24

dn: cn= user, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot  
objectclass: top  
objectclass: mailserveruser  
objectclass: cosTemplate  
mailboxquota: 1000000  
maysendexternalmail: TRUE  
dn: cn=guest, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot  
objectclass:top  
objectclass: mailserveruser  
objectclass: cosTemplate  
mailboxquota: 1000000  
maysendexternalmail: FALSE

FIGURE 19






FIGURE 20






FIGURE 21



22/24

dn: cn= messaging\_server\_cos, ou= people, o=acme  
objectclass: top  
objectclass: LDAPSubentry  
objectclass: cosSuperDefinition  
objectclass: cosPointerDefinition  
cosTemplateDn: ou=people, o=acme  
cosAttribute: facsimileTelephoneNumber default

FIGURE 22






FIGURE 23



24/24

dn: cn= messaging\_server\_cos, ou= people, o=acme  
objectclass: top  
objectclass: LDAPSubentry  
objectclass: cosSuperDefinition  
objectclass: cosIndirectDefinition  
cosIndirectSpecifier: manager  
cosAttribute: accountingCode

FIGURE 24

